



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/747,852	12/22/2000	James R. Patterson	A-5378	3665

2147 7590 07/22/2003

GRACE J FISHEL  
11970 BORMAN DRIVE  
SUITE 220  
ST. LOUIS, MO 63146

EXAMINER

REIS, TRAVIS M

ART UNIT	PAPER NUMBER
----------	--------------

2859

DATE MAILED: 07/22/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

09/747,852

Applicant(s)

PATTERSON, JAMES R.

Examiner

Travis M Reis

Art Unit

2859

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 21 May 2003.
- 2a) ☐ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1 and 6-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1 and 6-16 is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 16 April 2001 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on \_\_\_\_\_ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

## Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

## Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) \_\_\_\_\_
- 4) ☒ Interview Summary (PTO-413) Paper No(s). \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

Art Unit: 2859

## **DETAILED ACTION**

### ***Response to Arguments***

1. In view of the appeal brief filed on 5/21/03, PROSECUTION IS HEREBY REOPENED. New grounds of objections are set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) request reinstatement of the appeal.

If reinstatement of the appeal is requested, such request must be accompanied by a supplemental appeal brief, but no new amendments, affidavits (37 CFR 1.130, 1.131 or 1.132) or other evidence are permitted. See 37 CFR 1.193(b)(2).

### ***Drawings***

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the plumb bob stored within the tool as stated in claims 1, 11, & 15 must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

### ***Claim Objections***

3. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The specification does not clearly state what structural

Art Unit: 2859

features of the invention provide the means for assessing the true status of a frame in relation to three dimensional space as stated in claims 1, 6, & 15.

4. In claim 6, line 2, "magnet" should be ---magnetic--- for consistency purposes; on line 9, after "true" the following text should be inserted, ---status---, for consistency purposes.

5. In claim 11, line 1, "a" should be ---the---.

***Allowable Subject Matter***

6. The following is an examiner's statement of reasons for allowance:

With reference to claim 1, the prior art of record does not disclose or clearly suggest a tool for inspecting and gauging the accuracy of an installed steel door frame structure having means for storing the plumb bob within the tool and gauging means including <sup>the</sup> a plumb bob and a means for assessing the true status of a frame in relation to three dimensional space, in combination with the remaining limitations in the claims.

With reference to claims 6-16, the prior art of record does not disclose or clearly suggest a tool for inspecting the accuracy of installed frames comprising a first and second flange extending from the base spaced apart from each other, wherein the tool cooperates with a plumb bob and a string received in the aperture to gauge the accuracy and the true status of an installed door in relation to three dimensional space, in combination with the remaining limitations in the claims.

Furthermore, it should be noted with respect to claims 6-16 that the plumb bob <sup>have been given</sup> and string breath life and meaning to the claims and thus patentable weight.

7. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on

Art Unit: 2859

Statement of Reasons for Allowance."

**Conclusion**

8. This application is in condition for allowance except for the following formal matters as stated above:

The objections to the claims 1 & 6-16 and objections to the drawings.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

9. A shortened statutory period for reply to this action is set to expire **TWO MONTHS** from the mailing date of this letter.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Travis M Reis whose telephone number is (703) 305-4771. The examiner can normally be reached on 8--5 M--F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego Gutierrez can be reached on (703) 308-3875. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 746-8160 for regular communications and (703) 308-7722 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Travis M Reis  
Examiner  
Art Unit 2859

  
Diego Gutierrez  
Supervisory Patent Examiner  
Technology Center 2800

tmr  
July 17, 2003